borg&
overström



High-capacity hydration designed
for commercial performance.

c2/c3

c2/c3

Engineered for endurance with an impressive through-put, ideal for hospitality environments.

From restaurants and bars, to back of house replenishment, the C2/C3 tap provides easy, instant access to deliciously chilled, sparkling and ambient filtered water.

At a glance.

Water options	 Chilled Sparkling Ambient
Configuration	 Integrated tap
Colour	 Chrome
System	**ProCore®** Powerful and compact, energy-efficient modular system. **DryChill®** Rapid and hygienic, efficient chilling technology.
Technology	**DeepSparkle®** Sparkling water with long-lasting fizz. **Viovandi®** (optional) Chemical-free, eco-friendly integrated UV-LED purification.
Hygiene	**Totality®** Filtration and hygiene assurance with Biomaster®.

Built to perform.

Designed with endurance in mind, the C2 and C3 dispensers are ideal for serving hospitality and commercial environments, ensuring dependable performance at all times. Familiar, yet refined faucet handles provide intuitive, easy dispense, delivering an impressive 80 litres per hour at a consistent chilled temperature, perfect for busy environments. Available as a two-tap or three-tap system, pair with a large stainless-steel drip tray for a truly robust refill station.

Confidently clean water.

Totality® is our 5-step methodology to achieving pure, healthier, water. Providing hygiene assurance in every pour, Totality® reduces sediment, odours, chlorine and microplastics, for freshly-filtered water that is safe to drink and tastes clean and crisp. For complete peace of mind, select Viovandi® enhanced UV-C purification. The ultraviolet LED technology provides eco-friendly, chemical-free sterilisation to reduce bio-contaminants and bacteria which may be present in the incoming water supply.

Powerful, compact and energy-efficient.

Designed and built in the UK, the C2/C3 is powered by our exclusive, compact ProCore® system with discrete ventilation and advanced modularity. Utilising an intelligent DryChill® airless, rapid cooling technology, the C2/C3 delivers the ultimate in hygiene and performance, ensuring every glass or carafe is freshly-poured at the perfect temperature.

Premium bottleless water for every environment.

Designed for breakfast bars, canteens, restaurants and back of house, the refined aesthetics are easy-to-clean, featuring a durable chrome finish and tall dispense height. Sustainably conscious to the core and only utilising eco-refrigerant gas, the C2/C3 eliminates the need for single-use water bottles, allowing you to refill and serve premium, filtered water on tap, from bar to table.


winterhalter
borg&overström
Refill, reuse
and replenish.
Glass after glass,
bottle after bottle.
Excellence in every pour.

borg& overström



C2 Chrome



ProCore®



C3 Chrome



ProCore®

The detail.

Capacity ProCore® +	Chilled 80 L/hr	Sparkling 80 L/hr
Temperature	Chilled 2°C	Sparkling 2°C
Dispense Height C2 C3	 290mm 300mm	Perfect for filling water bottles, glasses or carafes
Power	230-240v	
Dimensions C2 C3	Intergrated Tap W165xD220xH510mm W235xD235xH510mm	Procore® under counter unit W320xD430xH375mm W320xD430xH375mm

Optional accessories.



Deep Sparkle® CO_2 Refills
Can be disposed of via standard steel recycling or general waste. Requires CO_2 regulator with gauge.



Bluetooth® Alarmed Waste Kit
A device that emits an audible alarm at high water level and sends a signal via Bluetooth® to deactivate the control panel.

Model no. 230-240v	Chrome	Chrome Viovandt®
C2 ProCore® +		
Chilled, Ambient	746000	746010
Chilled & Sparkling	746020	746030
C3 ProCore® +		
Chilled Sparkling & Ambient	746040	746050

Place an order.

+44 (0)1362 695 006
sales@borgandoverstrom.com

borgandoverstrom.com

Excellence in every pour.

- Totality® hygiene assurance in every pour.
- UK designed and built with nearshore supply.
- Bottleless and sustainably conscious.
- ProCore® advanced modular technology.

EN