FWC
FOOD • WATER • COFFEE

AA First AA3300X · Contact-less Water Cooler

CONTACT
Less
TAPS

LEGENDARY RELIABILITY

Push. Pour. Go.



Push your glass or cup against the paddle tap to pour. No buttons to touch, and simple manual taps that keep maintenance easy.

- Contact-less taps
- Mains fed or bottled
- Floor or table top
- WRAS approved
- SIPNeo3 ready

61%
Energy saving, up to, in SIP sleep mode

50%
Fewer sanitising visits with SIPNeo3

4
Versions to choose from

HOW IT WORKS

Hands off the taps.

The AA3300X uses push paddle taps, so there are no buttons or handles to touch. Your glass or cup does the work.

1

Push

Press your glass or cup against the paddle tap.

2

Pour

Water flows for as long as you hold the glass against the paddle.

3

Go

Take the glass away and the tap stops. No hand contact at any point.

INSIDE THE COOLER

What it's doing for every glass

Manual taps. No PCBs or solenoids, so there is less to go wrong and it is easy to maintain.

SIP sleep mode. Cuts energy consumption by up to 61% when activated.

Drainage ready. Fits overflow and mains drainage kits, with or without a pump and cowling.

SIPNeo3 ready. 24/7 automatic ozone sanitising can be retro-fitted to floor-standing mains-fed coolers.

Proven platform. Shares many parts with the A4400FIZZ, ArcticChill 88 and ArcticStar 55.

WRAS approved. Approved for connection to the UK water supply.

Mains fed or bottled: pick your version


	MAINS FED (POU)	BOTTLED
Water supply	**Plumbed into the mains, so it never runs out**	Bottles on top, delivered and swapped
Floor standing	**1135 × 340 × 340 mm, 18 kg**	1165 × 340 × 340 mm, 18 kg
Table top	**460 × 340 × 340 mm, 15 kg**	463 × 340 × 340 mm, 15 kg
SIPNeo3	**Can be retro-fitted (floor standing)**	Not available
Best for	**Sites with a water supply nearby**	Sites with no water supply

CONTACT-LESS DISPENSING

Cleaner for everyone who uses it.

Because nobody touches the tap, the AA3300X avoids the hand contact that comes with buttons and levers. It suits busy, shared spaces where lots of people fill up through the day.

Glasses | Cups | Reusable bottles | Jugs



WHERE IT WORKS BEST

Offices
Fresh water for staff and visitors, all day.

Schools
Hands-free filling in corridors and halls.

Waiting areas
A hygienic choice for shared spaces.

Workshops
Easy to use with busy hands.

ADD-ONS

Keep it clean, safe and dry



SIPNeo3 sanitising
Automatic 24/7 ozone sanitising. Retro-fits to floor-standing mains-fed coolers.



Reusable filter housing
Takes a carbon block or NANOFilter candle.



Installation rail with filter
1-micron filter, water block, pressure reducing valve and non-return valve.



Mains drainage
Connects the drip tray to a drain. A pump can move waste water up to 100 m.

Also available: 3 and 10 litre alarmed overflow kits, and a cowling to fix the cooler securely to the wall.

SPECIFICATION & OPTIONS

Buy it or lease it.

Model	**AA First AA3300X**
Versions	**Mains fed (POU) or bottled, floor standing or table top**
Dispense	**Contact-less push paddle taps, 14 cm height**
Chilled output	**20 litres per hour**
Controls	**Manual taps, no PCBs or solenoids**
Hygiene	**SIPNeo3 ozone sanitising (retro-fit, floor-standing POU)**
Energy saving	**SIP sleep mode, up to 61%**
POU floor standing	**1135 × 340 × 340 mm, 18 kg**
Bottled floor standing	**1165 × 340 × 340 mm, 18 kg**
POU table top	**460 × 340 × 340 mm, 15 kg**
Bottled table top	**463 × 340 × 340 mm, 15 kg**
Approvals	**WRAS approved**
Options	**Filters, overflow kits, mains drainage, cowling**



Floor standing and table top

OPTION 1

Buy outright

Own the cooler from day one, professionally installed by our team.

OPTION 2

Lease

Spread the cost with a fixed weekly payment. Leasing may require a credit check.

100-day
money back guarantee

24-hour
fix guarantee once a fault is reported

Best price
promise: we'll beat any like-for-like quote

See it working on your site.

Tell us how many people you have and where the cooler would go. We'll recommend the right setup.

FWC
FOOD • WATER • COFFEE

FWC Solutions Ltd
Freephone 0800 084 2876
fwc.solutions